## Refine Search

#### Search Results -

Terms	Documents
L34 AND L18	. 0

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

L37				
-			. 😾	Refine Search
	Recall Text	Clear		Interrupt

### **Search History**

### DATE: Thursday, March 16, 2006 Printable Copy Create Case

Set Name side by side	Query	<u>Hit</u> Count	Set Name result set
DB =	USPT; PLUR=YES; OP=ADJ	•	
<u>L37</u>	L34 AND L18	0	<u>L37</u>
<u>L36</u>	L35 AND L18	1	<u>L36</u>
<u>L35</u>	712/233,241.CCLS.	474	<u>L35</u>
<u>L34</u>	717/130,131.CCLS.	420	<u>L34</u>
<u>L33</u>	17 and (optimi\$ same loop\$)	1	<u>L33</u>
<u>L32</u>	L31 and l18	1	<u>L32</u>
<u>L31</u>	717/160,140,151.ccls.	607	<u>L31</u>
DB=	TDBD; PLUR=YES; OP=ADJ		
<u>L30</u>	(similar\$ or same\$) near4 (probabili\$ or natur\$ or execut\$) same loop\$ and (sum\$ or addition\$ or combin\$ or tatol\$)near5 probabilit\$ and (hot\$ or trac\$)	0	<u>L30</u>
DB = 1	DWPI; PLUR=YES; OP=ADJ		
<u>L29</u>	(similar\$ or same\$) near4 (probabili\$ or natur\$ or execut\$) same loop\$ and (sum\$ or addition\$ or combin\$ or tatol\$)near5 probabilit\$ and (hot\$ or trac\$)	0	<u>L29</u>

DB=	JPAB; PLUR=YES; OP=ADJ			
<u>L28</u>	(similar\$ or same\$) near4 (probabili\$ or natur\$ or execut\$) same loop\$ and (sum\$ or addition\$ or combin\$ or tatol\$)near5 probabilit\$ and (hot\$ or trac\$)		0	<u>L28</u>
DB=	EPAB; PLUR=YES; OP=ADJ			
<u>L27</u>	(similar\$ or same\$) near4 (probabili\$ or natur\$ or execut\$) same loop\$ and (sum\$ or addition\$ or combin\$ or tatol\$)near5 probabilit\$ and (hot\$ or trac\$)		0	<u>L27</u>
DB=	*PGPB; PLUR=YES; OP=ADJ			
<u>L26</u>	(similar\$ or same\$) near4 (probabili\$ or natur\$ or execut\$) same loop\$ and (sum\$ or addition\$ or combin\$ or tatol\$)near5 probabilit\$ and (hot\$ or trac\$)	1	8	<u>L26</u>
DB=	*USPT; PLUR=YES; OP=ADJ			
<u>L25</u>	L24 and (hot near4 trace) near9 (part\$)		1	<u>L25</u>
<u>L24</u>	114 and (loop\$ or repeat\$)		1	<u>L24</u>
<u>L23</u>	114 and (probabil\$ or pattern\$ or nature) near9 execut\$		0	<u>L23</u>
<u>L22</u>	L21 and (sum\$ or combin\$ or addition\$) near9 probabilit\$		1	<u>L22</u>
<u>L21</u>	5742803.pn.		1	<u>L21</u>
<u>L20</u>	L19 and (hot\$ or hig\$) same trace		1	<u>L20</u>
<u>L19</u>	L18 and (hot\$ or trac\$)	1	9	<u>L19</u>
<u>L18</u>	L17 and (sum\$ or addition\$ or combin\$ or tatol\$)near5 probabilit\$	3	1	<u>L18</u>
<u>L17</u>	(similar\$ or same\$) near4 (probabili\$ or natur\$ or execut\$) same loop\$	148	9	<u>L17</u>
<u>L16</u>	13 and probabilit\$		0	<u>L16</u>
<u>L15</u>	L14 and (similar\$ or same\$)near5 (probabili\$ or natur\$ or execut\$)		1	<u>L15</u>
<u>L14</u>	6189141.pn.		1	<u>L14</u>
<u>L13</u>	L12 and (unroll\$ near4 (code\$ or source\$))		1	<u>L13</u>
<u>L12</u>	17 and unrolled\$		1	<u>L12</u>
<u>L11</u>	17 and wind-down\$		1	<u>L11</u>
<u>L10</u>	17 and (unrol\$ near4 section\$ near4 code\$)		1	<u>L10</u>
<u>L9</u>	17 and unrol\$ same (Unrol\$ near9 loop\$)		1	<u>L9</u>
<u>L8</u>	L7 and (unrol\$ near7 loop\$)		1	<u>L8</u>
<u>L7</u>	6567976.pn.	•	1	<u>L7</u>
<u>L6</u>	15 and (unrol\$ near7 loop\$)	•	1	<u>L6</u>
<u>L5</u>	5950003.pn.		1	<u>L5</u>
<u>L4</u>	L3 and (unrol\$ near7 loop\$)		1	<u>L4</u>
<u>L3</u>	6938249.pn.		1	<u>L3</u>
<u>L2</u>	L1 and (unrol\$ near7 loop\$)		1	<u>L2</u>
<u>L1</u>	6938249.pn.	•	1	<u>L1</u>

# END OF SEARCH HISTORY



IEEE Conference Proceeding

IEE Conference Proceeding

IEEE Standard

Home | Login | Logout | Access Information | Ale

Welcome United States Patent and Trademark Office

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search

IEEE XPLORE GUIDE **□□**Search Results BROWSE SEARCH Results for "((loop and optimize and trace and hot and probability and executio and hot)<in>metadata)" Your search matched 0 documents. A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order. » Search Options View Session History **Modify Search** ((loop and optimize and trace and hot and probability and executio and hot)<in>metad New Search Search Check to search only within this results set » Key **Display Format:** Citation & Abstract IEEE JNL IEEE Journal or Magazine IEE Journal or Magazine IEE JNL

No results were found.

Indexed by

IEEE CNF

IEE CNF

IEEE STD

Help Contact Us Privac

© Copyright 2006 IE

# **Refine Search**

#### Search Results -

Terms	Documents
L1 and unrol\$	1

Database:	US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins	
Search:	L31	Refine Search.
	Recall Text Clear	Interrupt

## **Search History**

# DATE: Wednesday, March 15, 2006 Printable Copy Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=U	SPT; PLUR=YES; OP=ADJ		
<u>L31</u>	11 and unrol\$	1	<u>L31</u>
<u>L30</u>	11 and (remov\$ or delet\$ or open\$ or unrol\$) near9 hot\$	. 1	<u>L30</u>
<u>L29</u>	(trac\$ near9 high\$ near4 (activ\$ or execut\$)) and loop\$ and unrol\$	3	<u>L29</u>
<u>L28</u>	(trac\$ near49 higt near4 (activ\$ or execut\$)) and loop\$ and unrol\$	0	<u>L28</u>
<u>L27</u>	l1 and (open\$ or close\$ or unrol\$) same hot\$	1	<u>L27</u>
<u>L26</u>	125 and execut\$	1	<u>L26</u>
<u>L25</u>	L24 and (execut\$ near9 (hig\$ or predetermin\$ or threshold\$))	1	<u>L25</u>
<u>L24</u>	(frequent\$ near4 execut\$) and l21	· 1	<u>L24</u>
<u>L23</u>	l1 and hot\$	1	<u>L23</u>
<u>L22</u>	L21 and hot\$	0	<u>L22</u>
<u>L21</u>	unrol\$ near9 (loop\$ near4 (inner\$ or outer\$ or partial\$))	50	<u>L21</u>
<u>L20</u>	L19 and (critical\$) and trac\$	6	<u>L20</u>
<u>L19</u>	unrol\$ near4 (ourter\$ or inner\$ or partial\$) near4 loop\$	37	<u>L19</u>

<u>L18</u>	hot\$ and unrol\$ near4 (ourter\$ or inner\$ or partial\$) near4 loop\$	0	<u>L18</u>
<u>L17</u>	unrol\$ near6 (hot\$) and unrol\$ near4 (ourter\$ or inner\$) near4 loop\$	0	<u>L17</u>
<u>L16</u>	113 and unrol\$ near6 (hot\$ or hig\$) and unrol\$ near4 (ourter\$ or inner\$) near4 loop\$	3	<u>L16</u>
<u>L15</u>	L14 and (hot\$ or hig\$) and unrol\$	1	<u>L15</u>
<u>L14</u>	6567976.pn.	1	<u>L14</u>
<u>L13</u>	L12 and loop\$	. 36	<u>L13</u>
<u>L12</u>	L11 and optimiz\$	36	<u>L12</u>
<u>L11</u>	L10 and (hot or hig\$ or trac\$)	44	<u>L11</u>
<u>L10</u>	unrol\$ near4 (part\$ or sub\$ or div\$ or subset or set\$) near4 loop\$	46	<u>L10</u>
<u>L9</u>	L7 and optimiz\$ and (hot\$ or trac\$ or high\$)	5	<u>L9</u>
<u>L8</u>	L7 and optimiz\$ and hot\$	0	<u>L8</u>
<u>L7</u>	without\$ near4 unrol\$ near4 loop\$	17	<u>L7</u>
<u>L6</u>	without\$ near4 unrol\$ near4 (entir\$ or complet\$ or whole\$) near4 loop\$	1	<u>L6</u>
<u>L5</u>	ll and loop\$	1	<u>L5</u>
<u>L4</u>	L3 and iter\$	0	<u>L4</u>
<u>L3</u>	L1 and loop\$	1	<u>L3</u>
<u>L2</u>	L1 and loop	1	<u>L2</u>
T.1	6189141 pn	1	L1

END OF SEARCH HISTORY

# **Refine Search**

#### Search Results -

Terms	Documents
L31 and L18	1

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

L32			Refine Search
	Recall Text 👄	Clear	Interrupt

### **Search History**

## DATE: Thursday, March 16, 2006 Printable Copy Create Case

Set Name Query side by side	<u>Hit</u> Count	Set Name result set
DB=USPT; PLUR=YES; OP=ADJ		300
<u>L32</u> L31 and l18	1	<u>L32</u>
<u>L31</u> 717/160,140,151.ccls.	607	<u>L31</u>
DB=TDBD; $PLUR=YES$ ; $OP=ADJ$		
(similar\$ or same\$) near4 (probabili\$ or natur\$ or execut\$) same loop\$ and (sum\$ or addition\$ or combin\$ or tatol\$)near5 probabilit\$ and (hot\$ or trac\$)	0	<u>L30</u>
DB=DWPI; $PLUR=YES$ ; $OP=ADJ$		
(similar\$ or same\$) near4 (probabili\$ or natur\$ or execut\$) same loop\$ and (sum\$ or addition\$ or combin\$ or tatol\$)near5 probabilit\$ and (hot\$ or trac\$)	0	<u>L29</u>
DB=JPAB; $PLUR=YES$ ; $OP=ADJ$		
(similar\$ or same\$) near4 (probabili\$ or natur\$ or execut\$) same loop\$ and (sum\$ or addition\$ or combin\$ or tatol\$)near5 probabilit\$ and (hot\$ or trac\$)	0	<u>L28</u>
DB=EPAB; $PLUR=YES$ ; $OP=ADJ$		
L27 (similar\$ or same\$) near4 (probabili\$ or natur\$ or execut\$) same loop\$ and	. 0	<u>L27</u>

	(sums or additions or combins or tatols) nears probabilits and (nots or tracs)		
DB=	PGPB; PLUR=YES; OP=ADJ		
<u>L26</u>	(similar\$ or same\$) near4 (probabili\$ or natur\$ or execut\$) same loop\$ and (sum\$ or addition\$ or combin\$ or tatol\$)near5 probabilit\$ and (hot\$ or trac\$)	18	<u>L26</u>
DB=	*USPT; PLUR=YES; OP=ADJ		
<u>L25</u>	L24 and (hot near4 trace) near9 (part\$)	1	<u>L25</u>
<u>L24</u>	114 and (loop\$ or repeat\$)	1	<u>L24</u>
<u>L23</u>	114 and (probabil\$ or pattern\$ or nature) near9 execut\$	0	<u>L23</u>
<u>L22</u>	L21 and (sum\$ or combin\$ or addition\$) near9 probabilit\$	1	<u>L22</u>
<u>L21</u>	5742803.pn.	1	<u>L21</u>
<u>L20</u>	L19 and (hot\$ or hig\$) same trace	1	<u>L20</u>
<u>L19</u>	L18 and (hot\$ or trac\$)	19	<u>L19</u>
<u>L18</u>	L17 and (sum\$ or addition\$ or combin\$ or tatol\$)near5 probabilit\$	31	<u>L18</u>
<u>L17</u>	(similar\$ or same\$) near4 (probabili\$ or natur\$ or execut\$) same loop\$	1489	<u>L17</u>
<u>L16</u> .	13 and probabilit\$	0	<u>L16</u>
<u>L15</u>	L14 and (similar\$ or same\$)near5 (probabili\$ or natur\$ or execut\$)	1	<u>L15</u>
<u>L14</u>	6189141.pn.	1	<u>L14</u>
<u>L13</u>	L12 and (unroll\$ near4 (code\$ or source\$))	1	<u>L13</u>
<u>L12</u>	17 and unrolled\$	1	<u>L12</u>
<u>L11</u>	17 and wind-down\$	1	<u>L11</u>
<u>L10</u>	17 and (unrol\$ near4 section\$ near4 code\$)	1	<u>L10</u>
<u>L9</u>	17 and unrol\$ same (Unrol\$ near9 loop\$)	1	<u>L9</u>
<u>L8</u>	L7 and (unrol\$ near7 loop\$)	1	<u>L8</u>
<u>L7</u>	6567976.pn.	· 1	<u>L7</u>
<u>L6</u>	15 and (unrol\$ near7 loop\$)	1	<u>L6</u>
<u>L5</u>	5950003.pn.	1	<u>L5</u>
<u>L4</u>	L3 and (unrol\$ near7 loop\$)	1	<u>L4</u>
<u>L3</u>	6938249.pn.	1	<u>L3</u>
<u>L2</u>	L1 and (unrol\$ near7 loop\$)	1	<u>L2</u>
<u>L1</u>	6938249.pn.	1	<u>L1</u>

## END OF SEARCH HISTORY